

## Step Therapy

Most medical conditions can be treated with several different drug options. There are many drugs that cost much less than others despite working the same way and being just as effective. The Step Therapy program helps you get the treatment you need at the most affordable price.

### Here's how it works:



Step Therapy means trying less expensive options before moving on to more costly drugs. With this program, you would try a Step 1 drug before a Step 2 drug can be covered by your plan. A Step 2 drug will be covered if the Step 1 drug does not treat the condition it was prescribed for or if it causes side effects that stop treatment.

If your prescription is for a Step 2 drug, our pharmacy system will automatically check for Step Therapy requirements. If your pharmacy history shows you have already tried a Step 1 drug in the recent past, the prescription for the Step 2 drug may be processed. If not, the pharmacist will contact your prescriber for further explanation.

There are some drugs that need an additional step before they can be covered. For a Step 3 drug to be covered, both a Step 1 and a Step 2 drug must be tried first.

Many brand-name drugs with generic equivalents also require Step Therapy. A generic equivalent is a medication that contains the same active ingredients (what makes the medication work) as the brand-name drug, but often costs less.

We encourage you to discuss your treatment and medication options with your doctor. If you have questions about the Step Therapy program, call customer service at **800-759-3203**.

### STEP THERAPY MEDICATIONS (2 STEPS)\*

If you have a prescription for any of the following Step 2 drugs, you will need to first try a Step 1 drug(s) before the Step 2 drug is covered.

CONDITION	STEP 1	STEP 2
ACNE	<b>Any one of the following:</b> Epiduo Forte, clindamycin-benzoyl peroxide gel, Twyneo	Acanya, <sup>+</sup> Benzaclin, <sup>+</sup> Benzamycin, <sup>+</sup> Onexton, Veltin, <sup>+</sup> Ziana <sup>+</sup>
	<b>Any two</b> single-agent generic topical clindamycin products	Clindagel 1% <sup>+</sup>
	doxycycline or minocycline	Minolira <sup>+</sup>
	doxycycline <b>AND</b> minocycline	Seysara

**Bold type** = Brand-name drug Plain type = Generic drug

CONDITION	STEP 1	STEP 2
ADHD	<b>Any two of the following:</b> amphetamine-dextroamphetamine, dexmethylphenidate, dextroamphetamine, lisdexamfetamine, methylphenidate	<b>Adderall XR, Adzenys XR-ODT,<sup>+</sup> Aptensio XR, Concerta<sup>#</sup>, Cotempla XR-ODT,<sup>+</sup> Daytrana,<sup>+</sup> Desoxyn, Dyanavel XR,<sup>+</sup> Evekeo,<sup>+</sup> Evekeo ODT, Focalin,<sup>+</sup> Focalin XR,<sup>+</sup> Metadate CD, Methylin, Methylphenidate ER, Mydayis,<sup>+</sup> Procentra, Quillichew ER,<sup>+</sup> Quillivant XR,<sup>+</sup> Relexxii, Ritalin,<sup>+</sup> Ritalin LA,<sup>+</sup> Xelstryl,<sup>+</sup> Zenzedi<sup>+</sup></b>
	<b>Any one of the following:</b> amphetamine-dextroamphetamine, dexmethylphenidate, dextroamphetamine, lisdexamfetamine, methylphenidate	<b>Azstarys, Jornay PM</b>
	<b>Any two of the following:</b> atomoxetine, clonidine ER, guanfacine ER	<b>Intuniv,<sup>+</sup> Kapvay, Qelbree,<sup>+</sup> Strattera<sup>+</sup></b>
ALLERGIC REACTIONS	epinephrine	<b>Epipen, Epipen Jr<sup>+</sup></b>
ANTIBIOTICS	doxycycline or minocycline	<b>Acticlate,<sup>+</sup> Doryx,<sup>+</sup> Doryx MPC,<sup>+</sup> Doxycycline Hyclate DR 80mg,<sup>+</sup> LymePak,<sup>+</sup> Oracea,<sup>+</sup> Solodyn,<sup>+</sup> Targadox,<sup>+</sup> Vibramycin</b>
	clindamycin vaginal cream or metronidazole vaginal gel	<b>Cleocin Vaginal Suppository,<sup>+</sup> Cleocin Vaginal Cream,<sup>+</sup> Nuversa,<sup>+</sup> Vandazole</b>
	<b>Any one of the following:</b> clindamycin vaginal cream, metronidazole vaginal gel, metronidazole tablet, tinidazole tablet	<b>Solosec</b>
ANTIFUNGALS	fluconazole <b>AND</b> a generic vaginal product (e.g., clotrimazole, miconazole, tioconazole, terconazole, boric acid)	<b>Brexafemme<sup>+</sup></b>
ANTIPSYCHOTICS#	<b>Any two of the following:</b> aripiprazole, asenapine, clozapine, olanzapine/olanzapine ODT, paliperidone ER, quetiapine IR/ER, risperidone/risperidone ODT, ziprasidone	<b>Caplyta, Fanapt, Lybalvi,<sup>+</sup> Saphris,<sup>+</sup> Secuado<sup>+</sup></b>
	<b>Invega Sustenna or Invega Trinza</b>	<b>Invega Hafyera</b>
ASTHMA/COPD	<b>Arnuity Ellipta AND Qvar RediHaler</b>	<b>Alvesco,<sup>+</sup> ArmonAir Digihaler,<sup>+</sup> Asmanex,<sup>+</sup> Asmanex HFA,<sup>+</sup> Flovent Diskus,<sup>+</sup> Flovent HFA,<sup>+</sup> Fluticasone Diskus<sup>+</sup> (ABA), Fluticasone HFA<sup>+</sup> (ABA), Pulmicort Flexhaler<sup>+</sup></b>
	<b>Any two of the following:</b> budesonide-formoterol/Breyna, <b>Advair HFA, Breo Ellipta</b>	<b>Advair Diskus,<sup>+</sup> AirDuo Digihaler,<sup>+</sup> AirDuo RespiClick,<sup>+</sup> Dulera,<sup>+</sup> Fluticasone/Salmeterol<sup>+</sup> (ABA), Symbicort</b>

**Bold type** = Brand-name drug Plain type = Generic drug

CONDITION	STEP 1	STEP 2
	albuterol HFA (with the exception of Prasco manufacturer)	<b>Albuterol HFA<sup>+</sup> (Ventolin HFA ABA), Levalbuterol HFA<sup>+</sup> (ABA), ProAir Digihaler,<sup>+</sup> ProAir HFA,<sup>+</sup> ProAir RespiClick,<sup>+</sup> Proventil HFA,<sup>+</sup> Ventolin HFA,<sup>+</sup> Xopenex HFA<sup>+</sup></b>
	tiotropium inhalation capsules or <b>Spiriva Respimat</b>	<b>Incruse Ellipta,<sup>+</sup> Tudorza Pressair<sup>+</sup></b>
	<b>Anoro Ellipta AND Stiolto Respimat</b>	<b>Bevespi Aerosphere,<sup>+</sup> Duaklir Pressair<sup>+</sup></b>
	montelukast or zafirlukast	zileuton ER, <b>Zyflo</b>
CARDIOVASCULAR	<b>Any one of the following:</b> benazepril, captopril, enalapril, fosinopril, lisinopril, moexipril, perindopril, quinapril, ramipril, trandolapril, benazepril-HCTZ, captopril-HCTZ, enalapril-HCTZ, fosinopril-HCTZ, lisinopril-HCTZ, quinapril-HCTZ, amlodipine-benazepril, trandolapril-verapamil, losartan, losartan-HCTZ, candesartan, candesartan-HCTZ, irbesartan, irbesartan-HCTZ, telmisartan, telmisartan-HCTZ, amlodipine-olmesartan, olmesartan, olmesartan-HCTZ, amlodipine-olmesartan-HCTZ	<b>Edarbi, Edarbyclor, Tekturna HCT</b>
	<b>Any one of the following:</b> amlodipine-olmesartan, amlodipine-benazepril, amlodipine-valsartan, telmisartan-amlodipine, trandolapril-verapamil, benazepril-HCTZ, candesartan-HCTZ, captopril-HCTZ, enalapril-HCTZ, fosinopril-HCTZ, lisinopril-HCTZ, losartan-HCTZ, olmesartan-HCTZ, quinapril-HCTZ, telmisartan-HCTZ, olmesartan-amlodipine-HCTZ	<b>Exforge HCT<sup>+</sup></b>
	<b>Any two of the following:</b> acebutolol, atenolol, betaxolol, bisoprolol, carvedilol IR/ER, labetalol, metoprolol IR/ER, nadolol, pindolol, propranolol IR/ER	<b>Kaspargo<sup>+</sup></b>
CHOLESTEROL	<b>Any one of the following:</b> atorvastatin, fluvastatin/ER, lovastatin, pravastatin, rosuvastatin, simvastatin	<b>Altoprev, Ezallor Sprinkle, Flolipid, Lescol XL,<sup>+</sup> Lipitor,<sup>+</sup> Livalo,<sup>+</sup> Zocor<sup>+</sup></b>
	fenofibrate or fenofibric acid	<b>Fenoglide, Fibricor</b>
	<b>Any one of the following:</b> atorvastatin, fluvastatin, fluvastatin ER, lovastatin, pravastatin, rosuvastatin, simvastatin <b>AND ezetimibe</b>	<b>Ezetimibe/Rosuvastatin<sup>+</sup> (ABA), Roszet<sup>+</sup></b>

**Bold type** = Brand-name drug Plain type = Generic drug

CONDITION	STEP 1	STEP 2
<b>CONTRACEPTION</b>	norethindrone	<b>Slynd<sup>+</sup></b>
	<b>Any one of the following:</b> Gemmily, Merzee, norethindrone-ethinyl estradiol-ferrous fumarate, Taysofy	<b>Taytulla</b>
	<b>Any one of the following:</b> generic oral levonorgestrel-ethinyl estradiol, Xulane, Zafemy	<b>Twirla<sup>+</sup></b>
<b>DEPRESSION#</b>	bupropion SR	<b>Aplenzin, Bupropion XL<sup>+</sup> (ABA), Forfivo XL<sup>+</sup></b>
	<b>Any three of the following:</b> citalopram, desvenlafaxine ER, escitalopram, fluoxetine, paroxetine IR/ER, sertraline, venlafaxine IR/ER, duloxetine, bupropion, mirtazapine	<b>Auvelity<sup>+</sup></b>
	<b>Any two of the following:</b> citalopram, desvenlafaxine ER, escitalopram, fluoxetine, paroxetine IR/ER, sertraline, venlafaxine IR/ER, duloxetine, bupropion, mirtazapine	<b>Citalopram Capsule,<sup>+</sup> Paxil Suspension, Sertraline Capsule,<sup>+</sup> Trintellix, Venlafaxine Tablet 112.5mg<sup>+</sup></b>
	<b>Any two of the following:</b> desvenlafaxine ER, duloxetine, venlafaxine IR/ER	<b>Fetzima</b>
<b>DIABETES</b>	<b>Any one of the following:</b> metformin, metformin ER, metformin-glipizide, metformin-glyburide, metformin-pioglitazone	<b>Cycloset, Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Riomet, Tradjenta</b>
	Any metformin-containing agent	<b>Soliqua, Xultophy</b>
	<b>Any two of the following:</b> Admelog/Insulin Lispro/Humalog, Apidra, Fiasp, Lyumjev, Novolog	<b>Humalog Tempo,<sup>+</sup> Lyumjev Tempo<sup>+</sup></b>
	<b>Any three of the following:</b> Basaglar, Lantus, Levemir, <sup>+</sup> Rezvoglar, Toujeo, Tresiba <sup>+</sup>	<b>Basaglar Tempo,<sup>+</sup> Insulin Glargine<sup>+</sup> (ABA), Semglee<sup>+</sup></b>
	<b>Contour Next</b> test strips <b>AND OneTouch<sup>+</sup></b> test strips	All other blood glucose test strips
	<b>Contour Next</b> meters <b>AND OneTouch<sup>+</sup></b> meters	All other blood glucose meters
	<b>Any one of the following:</b> Baqsimi, <b>Glucagon</b> (generic or Fresenius manufacturer), <b>Zegalogue</b>	<b>Glucagen HypoKit,<sup>+</sup> Glucagon Kit<sup>+</sup> (Lilly manufacturer), Gvoke<sup>+</sup></b>
<b>EAR CONDITIONS</b>	ofloxacin	<b>Cetraxal</b>
	ofloxacin otic <b>AND</b> ciprofloxacin-dexamethasone otic	<b>Ciprodex<sup>+</sup></b>
<b>GASTROINTESTINAL (MISC.)</b>	polyethylene glycol or lactulose	<b>Linzess, Movantik,<sup>+</sup> Symproic</b>
	<b>Creon AND Zenpep</b>	<b>Pancreaze,<sup>+</sup> Pertzeye,<sup>+</sup> Viokace<sup>+</sup></b>
	<b>Any one of the following:</b> Clenpiq, <b>Suflave, Suprep</b>	<b>MoviPrep,<sup>+</sup> OsmoPrep,<sup>+</sup> Plenvu<sup>+</sup></b>

Bold type = Brand-name drug Plain type = Generic drug

CONDITION	STEP 1	STEP 2
GENITOURINARY	<b>Any two of the following:</b> darifenacin ER, fesoterodine ER, oxybutynin IR/ER, solifenacin, tolterodine IR/ER, trospium IR/ER, <b>Myrbetriq Tablets</b>	<b>Gelnique, Gemtesa,<sup>+</sup> Oxytrol, Toviaz<sup>+</sup></b>
	oxybutynin IR/ER or oxybutynin syrup	<b>Vesicare LS<sup>+</sup></b>
GOUT	colchicine tablets	<b>Colcrys,<sup>+</sup> Gloperba,<sup>+</sup> Mitigare<sup>+</sup></b>
	allopurinol tablets 100mg, 300mg	<b>Allopurinol Tablets 200mg,<sup>+</sup> Uloric</b>
HEART FAILURE	<b>Farxiga and Jardiance</b>	<b>Inpefa<sup>+</sup></b>
HEPATITIS B	entecavir or tenofovir	<b>Vemlidy<sup>+</sup></b>
HORMONE REPLACEMENT	estradiol patch	<b>Alora, Menostar, Minivelle, Vivelle-Dot<sup>+</sup></b>
	<b>Any one of the following:</b> Imvexxy, Osphe <sup>na</sup> , Premarin Vaginal Cream	<b>Femring</b>
	<b>Any two of the following:</b> Imvexxy, Osphe <sup>na</sup> , Premarin Vaginal Cream	<b>Intrarosa</b>
INSOMNIA	<b>Any one of the following:</b> doxepin, eszopiclone, temazepam, zaleplon, zolpidem IR/ER	<b>Belsomra, Dayvigo</b>
	zolpidem or zolpidem ER	<b>Ambien,<sup>+</sup> Ambien CR,<sup>+</sup> Edluar, Zolpidem Capsule 7.5mg<sup>+</sup></b>
MIGRAINE	<b>Any two of the following:</b> almotriptan, eletriptan, frovatriptan, naratriptan, rizatriptan/ODT, sumatriptan, zolmitriptan/ODT	sumatriptan/naproxen, <b>Onzetra Xsail,<sup>+</sup> Tosymra,<sup>+</sup> Treximet,<sup>+</sup> Zembrace Symtouch,<sup>+</sup> Zomig Spray, Zolmitriptan Nasal Spray (ABA)</b>
NASAL POLYPS	mometasone nasal spray or <b>Beconase AQ</b>	<b>Xhance<sup>+</sup></b>
NEUROLOGIC	gabapentin IR	gabapentin (once-daily), <b>Gralise</b>
	<b>Any one of the following:</b> amitriptyline, cyclobenzaprine, duloxetine, gabapentin, pregabalin	pregabalin ER, <b>Lyrica CR,<sup>+</sup> Savella</b>
OPHTHALMIC	azelastine <b>AND</b> olopatadine	<b>Bepreve,<sup>+</sup> Zerviate<sup>+</sup></b>
	<b>Any one of the following:</b> diclofenac ophthalmic, flurbiprofen ophthalmic, ketorolac ophthalmic	<b>Bromsite,<sup>+</sup> Ilevro,<sup>+</sup> Nevanac,<sup>+</sup> Prolensa<sup>+</sup></b>
	<b>All of the following:</b> latanoprost, travoprost, <b>Lumigan</b>	<b>Iyuzeh,<sup>+</sup> Vyzulta,<sup>+</sup> Xelpros</b>
OPIOID WITHDRAWAL	clonidine	<b>Lucemyra</b>

**Bold type** = Brand-name drug Plain type = Generic drug

CONDITION	STEP 1	STEP 2
<b>PAIN (NON-NARCOTIC ANALGESICS)</b>	<b>Any two of the following:</b> celecoxib, diclofenac/CR, diflunisal, etodolac, fenoprofen, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclofenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac, tolmetin	<b>Cambia,<sup>+</sup> Celebrex,<sup>+</sup> Diclofenac Capsule 35mg<sup>+</sup> (ABA), Indocin, Indomethacin Capsule 20mg (ABA), Lofena, Meloxicam Suspension, Tivorbex, Vivlodex, Zipsor,<sup>+</sup> Zorvolex<sup>+</sup></b>
<b>PARKINSON'S</b>	carbidopa-levodopa or carbidopa-levodopa ER	<b>Rytary</b>
	carbidopa-levodopa <b>AND</b> carbidopa-levodopa ODT	<b>Dhivy<sup>+</sup></b>
	rasagiline <b>AND</b> selegiline	<b>Xadago</b>
	entacapone	<b>Ongentys</b>
<b>PHOSPHATE BINDERS</b>	<b>Any two of the following:</b> calcium carbonate, calcium acetate, lanthanum carbonate, sevelamer carbonate, sevelamer HCl, <b>Velphoro</b>	<b>Auryxia<sup>+</sup></b>
	<b>Any two of the following:</b> calcium carbonate, calcium acetate, lanthanum carbonate, sevelamer carbonate, sevelamer HCl	<b>Fosrenol, Phoslyra</b>
<b>POST-HERPETIC NEURALGIA (PHN)</b>	lidocaine patch	<b>Ztlido<sup>+</sup></b>
<b>PROSTATIC HYPERTROPHY</b>	<b>Any two of the following:</b> alfuzosin, doxazosin, silodosin, tamsulosin, terazosin	<b>Cardura XL</b>
	<b>Any one of the following:</b> alfuzosin, doxazosin, silodosin, tamsulosin, terazosin <b>AND any one of the following:</b> dutasteride, finasteride, tadalafil 5mg	<b>Entadfi</b>
<b>ROSACEA</b>	<b>Any one of the following:</b> azelaic acid gel, <b>Finacea Foam, Soolantra</b>	<b>Epsolay,<sup>+</sup> Finacea Gel, Noritate,<sup>+</sup> Zilxi</b>
	<b>Any one of the following:</b> metronidazole gel, <b>Finacea Foam, Soolantra</b>	<b>Metrogel<sup>+</sup></b>
	<b>Mirvaso</b>	<b>Rhofade<sup>+</sup></b>
<b>SEIZURES#</b>	topiramate IR or topiramate sprinkle	<b>Qudexy XR,<sup>+</sup> Trokendi XR<sup>+</sup></b>
	topiramate sprinkle	<b>Eprontia<sup>+</sup></b>
	oxcarbazepine IR	<b>Oxtellar XR<sup>+</sup></b>
	<b>Any one of the following:</b> lamotrigine IR, levetiracetam IR/ER, oxcarbazepine IR, topiramate IR	<b>Briviact, Xcopri</b>
	levetiracetam ER	<b>Elepsia XR<sup>+</sup></b>
	lacosamide IR	<b>Motpoly XR</b>

**Bold type** = Brand-name drug Plain type = Generic drug

CONDITION	STEP 1	STEP 2
SKIN CONDITIONS (MISC.)	<b>Any one of the following:</b> topical corticosteroid, pramoxine-HC, pimecrolimus, tacrolimus	<b>Eucrisa, Opzelura<sup>+</sup></b>
	fluorouracil cream or topical imiquimod cream 5%	diclofenac gel 3%
	fluorouracil cream <b>AND</b> topical imiquimod cream 5%	<b>Klisyri</b>
	imiquimod cream 5%	<b>Zyclara<sup>+</sup></b>
	tacrolimus ointment	<b>Elidel,<sup>+</sup> Protopic</b>
	<b>Any three of the following:</b> clocortolone cream, fluocinolone acetonide ointment, flurandrenolide ointment, fluticasone propionate cream, hydrocortisone valerate ointment, mometasone furoate cream/lotion/solution, triamcinolone aerosol spray/cream/ointment, calcipotriene-betamethasone suspension, <b>Enstilar, Taclonex suspension</b>	<b>Sernivo</b>
THYROID	levothyroxine tablets	<b>Armour Thyroid, Ermeza, Levothyroxine Capsule<sup>+</sup> (ABA), Niva, Synthroid,<sup>+</sup> Thyquidity,<sup>+</sup> Tirosint<sup>+</sup></b>
ULCER/REFLUX	<b>Any two of the following:</b> dexlansoprazole, esomeprazole magnesium, lansoprazole, omeprazole, pantoprazole, rabeprazole	omeprazole/sodium bicarbonate, <sup>+</sup> <b>Aciphex,<sup>+</sup> Dexilant,<sup>+</sup> First-Lansoprazole Suspension, First-Omeprazole Suspension, First-Pantoprazole Suspension, Konvomep,<sup>+</sup> Prevacid,<sup>+</sup> Prilosec, Protonix,<sup>+</sup> Rabeprazole Sprinkle Cap, Zegerid<sup>+</sup></b>
ULCERATIVE COLITIS	<b>Apriso</b>	<b>Asacol HD,<sup>+</sup> Delzicol,<sup>+</sup> Lialda<sup>+</sup></b>
	mesalamine <b>AND Apriso</b>	<b>Pentasa CR<sup>+</sup></b>
VITAMINS/ MINERALS	<b>Any one of the following:</b> ferrous fumarate, ferrous gluconate, ferrous sulfate	<b>Accrufer<sup>+</sup>, Feraheme, Injectafer, Monoferric</b>

**Bold type** = Brand-name drug Plain type = Generic drug

CONDITION	STEP 1	STEP 2
<p><b>GENERIC FIRST*</b></p>	<p>generic equivalent</p>	<p><b>Abilify, Aczone gel, Alphagan P 0.1%, Altace, Arimidex, Arthrotec, Atacand, Avapro, Avodart, Azopt, Brovana, Bystolic, Canasa, Carbatrol, Cardizem LA, Carnitor, Cataflam, Catapres-TTS, Celexa, Cialis, Clarinex, Climara, Clobex, Colestid, Combigan, Coreg, Cortef, Cosopt, Cozaar, Delegestrogen, Depakote, Dilantin suspension, Effector XR, Epiduo, Estrace, Exforge, Fioricet, Flomax, Generess Fe, Golytely, Halog cream, Hyzaar, Imitrex, Inderal LA, Kenalog, Keppra, Klonopin, K-Tab, Lamictal, Lasix, Latisse, Latuda, Loestrin, Lotrel, Lyrica, Maxalt, Micardis, Mobic, Nalfon, Natroba, Neurontin, Niaspan, Nitrostat, Paxil, Plaquenil, Plavix, Pred Forte, Prinivil, Prometrium, Pylera, Questran, Ranexa, Relpax, Renagel, Restoril, Risperdal, Safyral, Seasonique, Seroquel, Seroquel XR, Silvadene, Skelaxin, Spiriva Handihaler, Soma, Suboxone, Tegretol, Tenormin, Tikosyn, Timoptic, Timoptic-XE, Timoptic OcuDose, Topamax, Topicart spray, Travatan Z, Tricor, Trileptil, Uceris tab, Valtrex, Vanadom, Vectical, Vesicare, Vigamox, Viibryd, Vimpat, Welchol, Xalatan, Yasmin, Zanaflex, Zestril, Zolof, Zonegran, Zovirax, Zyprexa</b></p>



**Brand type** = Brand-name drug    Plain type = Generic drug

## STEP THERAPY MEDICATIONS (3 STEPS)\*

If you have a prescription for any of the following Step 3 drugs, you will need to first try a Step 1 and a Step 2 drug(s) before the Step 3 drug is covered.

CONDITION	STEP 1	STEP 2	STEP 3
<b>CHOLESTEROL</b>	<b>Any one of the following:</b> atorvastatin, fluvastatin/ER, lovastatin, pravastatin, rosuvastatin, simvastatin	<b>Livalo<sup>+</sup></b>	<b>Zypitamag<sup>+</sup></b>
<b>DIABETES</b>	<b>Any one of the following:</b> metformin, metformin ER, metformin-glipizide, metformin-glyburide, metformin-pioglitazone	<b>Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy, Synjardy XR or Trijardy XR</b>	<b>Bexagliflozin<sup>+</sup> (ABA), Brenzavvy,<sup>+</sup> Invokamet,<sup>+</sup> Invokamet XR,<sup>+</sup> Invokana,<sup>+</sup> Qtern,<sup>+</sup> Steglatro,<sup>+</sup> Steglujan,<sup>+</sup> Segluromet<sup>+</sup></b>
	<b>Any one of the following:</b> metformin, metformin ER, metformin-glipizide, metformin-glyburide, metformin-pioglitazone	<b>Janumet, Janumet XR, or Januvia AND Jentadueto, Jentadueto XR, or Tradjenta</b>	<b>Alogliptin<sup>+</sup>, Alogliptin/Metformin<sup>+</sup>, Alogliptin/Pioglitazone<sup>+</sup>, Kazano,<sup>+</sup> Kombiglyze XR,<sup>+</sup> Nesina,<sup>+</sup> Onglyza,<sup>+</sup> Oseni,<sup>+</sup> saxagliptin, saxagliptin/metformin, Sitagliptin, Zituvio</b>
<b>GASTROINTESTINAL (MISC.)</b>	polyethylene glycol or lactulose	<b>Linzess</b>	<b>Motegrity</b>
	polyethylene glycol or lactulose	<b>Linzess, Movantik,<sup>+</sup> or Symproic</b>	<b>Amitiza<sup>+</sup></b>
	polyethylene glycol or lactulose	<b>Linzess AND lubiprostone</b>	<b>Trulance<sup>+</sup></b>
	polyethylene glycol or lactulose	<b>Movantik<sup>+</sup> or Symproic AND lubiprostone</b>	<b>Relistor<sup>+</sup></b>
<b>INSOMNIA</b>	<b>Any two of the following:</b> doxepin, eszopiclone, ramelteon, temazepam, triazolam, zaleplon, zolpidem IR/ER	<b>Belsomra or Dayvigo</b>	<b>Quviviq<sup>+</sup></b>

+ May be excluded from coverage. Check your benefit plan documents for excluded medications.

\* The list of step therapy medications is subject to change without notice. Step therapy requirements may vary by benefit plan. Additional clinical programs, including quantity limits and prior authorization, may exist for the above medications which may affect your prescription drug coverage.

# Grandfathering allowed on medications under this Condition. All other Conditions do not allow grandfathering.

ABA = Authorized Brand Alternative

If you have additional questions, please call customer service at 800-759-3203 or visit [ServeYouRx.com](https://www.ServeYouRx.com).